

01



Bakery Goods Packaging










Lightweight yet durable. Designs that elevates every detail of your artistry and ensure lasting freshness.



| Product Illustration | Product Code | L | W | H | Packing | | m³ | Material |
|--------------------------------------------------------------------------------------|--------------|-----|-----|----|----------|-------------|------|----------|
| | | | | | (total) | (pkt x pcs) | | |
|  | GB-1-LID | 136 | 100 | 35 | 500 sets | 10 x 50 | 0.05 | APET |
| | GB-1-BASE | 130 | 95 | 35 | | | | APET |
|  | GB-38-LID | 200 | 97 | 35 | 500 sets | 10 x 50 | 0.07 | APET |
| | GB-38-BASE | 196 | 93 | 35 | | | | APET |
|  | GB-59-LID | 152 | 102 | 35 | 500 sets | 10 x 50 | 0.06 | APET |
| | GB-59-BASE | 150 | 97 | 35 | | | | APET |
|  | GB-60-LID | 172 | 102 | 35 | 500 sets | 10 x 50 | 0.07 | APET |
| | GB-60-BASE | 167 | 97 | 35 | | | | APET |
|  | GB-67-LID | 224 | 104 | 55 | 300 sets | 6 x 50 | 0.09 | APET |
| | GB-67-BASE | 220 | 100 | 30 | | | | APET |
|  | GB-37-LID | 147 | 139 | 35 | 500 sets | 10 x 50 | 0.07 | APET |
| | GB-37-BASE | 143 | 135 | 35 | | | | APET |
|  | GB-57-LID | 125 | 125 | 35 | 500 sets | 10 x 50 | 0.06 | APET |
| | GB-57-BASE | 120 | 120 | 35 | | | | APET |
|  | GB-58-LID | 137 | 137 | 35 | 500 sets | 10 x 50 | 0.07 | APET |
| | GB-58-BASE | 132 | 132 | 35 | | | | APET |
|  ★ | GB-45 | 136 | 106 | 55 | 400 | 8 x 50 | 0.07 | APET |
| | GB-46 | 161 | 108 | 65 | 400 | 8 x 50 | 0.08 | APET |
| | GB-47 | 180 | 130 | 65 | 400 | 8 x 50 | 0.11 | APET |
| | GB-48 | 232 | 100 | 50 | 400 | 8 x 50 | 0.09 | APET |
|  | GB-61 | 182 | 120 | 45 | 400 | 8 x 50 | 0.09 | APET |
| | GB-62 | 147 | 114 | 60 | 400 | 8 x 50 | 0.10 | APET |












*All product dimensions are written in millimeters (mm).

*★: Best Seller *☰: Microwave Safe

| Product Illustration | Product Code | L | W | H | Packing | | m³ | Material |
|---------------------------------------------------------------------------------------|--------------|------|-----|-----|----------|-------------|------|----------|
| | | | | | (total) | (pkt x pcs) | | |
|  | GB-5-LID | Ø205 | | 60 | 250 | - | 0.05 | APET |
| | GB-5-BASE | Ø205 | | 20 | | | | APET |
|  | GB-5B-LID | Ø205 | | 70 | 250 | - | 0.10 | APET |
| | GB-5B-BASE | Ø205 | | 20 | | | | APET |
|  | GB-50-LID | Ø210 | | 65 | 250 | - | 0.09 | APET |
| | GB-50-BASE | Ø210 | | 20 | | | | APET |
|  | GB-52-LID | Ø210 | | 65 | 250 | - | 0.09 | APET |
| | GB-52-BASE | Ø210 | | 20 | | | | APET |
|  | GB-41 | Ø270 | | 105 | 100 | 2 x 50 | 0.11 | APET |
| | GB-42 | Ø310 | | 140 | 100 | 2 x 50 | 0.10 | APET |
|  | LPM-164-LID | Ø175 | | 85 | 250 sets | - | 0.09 | APET |
| | LPM-164-BASE | Ø175 | | 15 | | | | APET |
|  | LPM-228-LID | 210 | 210 | 73 | 100 sets | - | 0.05 | APET |
| | LPM-228-BASE | 210 | 210 | 18 | | | | APET |
| | LPM-477-LID | 260 | 260 | 100 | | | | APET |
| | LPM-477-BASE | 260 | 260 | 15 | | | | APET |
|  | LPM-478-LID | 290 | 290 | 100 | 80 sets | - | 0.11 | APET |
| | LPM-478-BASE | 290 | 290 | 15 | | | | APET |
|  | GB-9-LID | 232 | 105 | 63 | 150 | - | 0.03 | APET |
| | GB-9-BASE | 232 | 105 | 10 | 150 | - | 0.03 | APET |
| | GB-39-LID | 185 | 106 | 75 | 250 sets | - | 0.07 | APET |
| | GB-39-BASE | 185 | 106 | 15 | | | | APET |

*All product dimensions are written in millimeters (mm).










*★: Best Seller *☰: Microwave Safe

| Product Illustration | Product Code | L | W | H | Packing | | m ³ | Material |
|--------------------------------------------------------------------------------------|---------------|-----|-----|-----|---------|-------------|----------------|----------|
| | | | | | (total) | (pkt x pcs) | | |
|  ★ | GB-11 | 190 | 190 | 70 | 300 | 6 x 50 | 0.05 | APET |
| | GB-12 | 230 | 230 | 73 | 200 | 4 x 50 | 0.09 | APET |
| | GB-13 | 255 | 255 | 75 | 200 | 4 x 50 | 0.12 | APET |
| | GB-14 | 270 | 270 | 80 | 150 | 3 x 50 | 0.09 | APET |
| | GB-15 | 300 | 300 | 100 | 150 | 3 x 50 | 0.09 | APET |
|  ★ | GB-16 | 115 | 115 | 50 | 1,200 | 24 x 50 | 0.12 | APET |
|  | GB-21 | 230 | 90 | 45 | 600 | 12 x 50 | 0.08 | APET |
|  | GB-25 | 232 | 135 | 70 | 400 | 8 x 50 | 0.08 | APET |
| | GB-26 | 262 | 135 | 65 | 400 | 8 x 50 | 0.09 | APET |
|  ★ | GB-27 | 255 | 160 | 75 | 100 | - | 0.06 | APET |
|  | GB-28 (1cav.) | 105 | 105 | 50 | 500 | 10 x 50 | 0.07 | APET |
| | GB-29 (2cav.) | 195 | 105 | 50 | 200 | 4 x 50 | 0.07 | APET |
| | GB-30 (4cav.) | 185 | 185 | 45 | 200 | 4 x 50 | 0.09 | APET |
|  | GB-32 | 234 | 100 | 50 | 500 | - | 0.07 | APET |
|  | GB-40 | 265 | 190 | 55 | 100 | - | 0.06 | APET |
|  | GB-64 | 175 | 90 | 60 | 400 | 8 x 50 | 0.09 | APET |
|  | GB-65 | 360 | 180 | 65 | 125 | - | 0.08 | APET |
|  | LPM-134 | 190 | 120 | 40 | 300 | - | 0.05 | APET |

*All product dimensions are written in millimeters (mm).

*★: Best Seller *☰: Microwave Safe



| Product Illustration | Product Code | L | W | H | Packing | | m³ | Material |
|--------------------------------------------------------------------------------------|--------------|-----|-----|----|----------|-------------|------|----------|
| | | | | | (total) | (pkt x pcs) | | |
|  | GB-2 | Ø85 | | 80 | 500 | 10 x 50 | 0.06 | APET |
|  | GB-10 | 185 | 95 | 55 | 300 | - | 0.06 | APET |
|  ★ | GB-17 | 148 | 140 | 40 | 600 | 12 x 50 | 0.08 | APET |
|  | GB-18 | 205 | 140 | 40 | 600 | 12 x 50 | 0.12 | APET |
|  | GB-19 | 265 | 140 | 40 | 200 | 4 x 50 | 0.06 | APET |
|  | GB-20-LID | 210 | 180 | 45 | 200 | - | 0.06 | APET |
| | GB-20-BASE | 210 | 180 | 20 | 200 | - | 0.06 | APET |
|  | GB-36 | 197 | 197 | 70 | 300 | 6 x 50 | 0.09 | APET |
|  | MC-06 | 240 | 150 | 65 | 400 | 8 x 50 | 0.13 | APET |
|  ★ | GF-130-LID | 138 | 98 | 10 | 500 sets | 10 x 50 | 0.07 | APET |
| | GF-130-BASE | 134 | 94 | 42 | | | | APET |
| | GF-150-LID | 152 | 98 | 10 | 500 sets | 10 x 50 | 0.08 | APET |
| | GF-150-BASE | 150 | 94 | 52 | | | | APET |
| | GF-170-LID | 172 | 104 | 10 | 500 sets | 10 x 50 | 0.12 | APET |
| | GF-170-BASE | 170 | 100 | 60 | | | | APET |

*All product dimensions are written in millimeters (mm).







*★: Best Seller *☰: Microwave Safe

| Product Illustration | Product Code | L | W | H | Packing | | m³ | Material |
|-----------------------------------------------------------------------------------------|--------------|-----|-----|----|----------|-------------|------|----------|
| | | | | | (total) | (pkt x pcs) | | |
|  | GB-3-LID | 100 | 70 | 70 | 500 sets | 10 x 50 | 0.09 | APET |
| | GB-3-BASE | 100 | 70 | 15 | | | | APET |
|  | GB-4-LID | 150 | 97 | 75 | 500 sets | 10 x 50 | 0.10 | APET |
| | GB-4-BASE | 150 | 97 | 14 | | | | APET |
| | GB-4S-LID | 150 | 97 | 60 | 500 sets | 10 x 50 | 0.09 | APET |
| | GB-4S-BASE | 150 | 97 | 14 | | | | APET |
|  | GB-6-LID | 240 | 130 | 80 | 200 sets | - | 0.07 | APET |
| | GB-6-BASE | 240 | 130 | 20 | | | | APET |
|  | GB-43-LID | 131 | 93 | 67 | 500 sets | 10 x 50 | 0.10 | APET |
| | GB-43-BASE | 142 | 110 | 24 | | | | APET |
|  ★ | GB-54-LID | 225 | 120 | 10 | 300 | 6 x 50 | 0.06 | APET |
| | GB-54-BASE | 225 | 120 | 65 | 300 | 6 x 50 | 0.07 | APET |
|  ★ | GB-55-LID | 147 | 147 | 27 | 300 | 6 x 50 | 0.05 | APET |
| | GB-55-BASE | 147 | 147 | 67 | 300 | 6 x 50 | 0.06 | APET |
| | GB-56-LID | 157 | 157 | 20 | 300 | 6 x 50 | 0.05 | APET |
| | GB-56-BASE | 157 | 157 | 62 | 300 | 6 x 50 | 0.06 | APET |
|  | LPM-14-LID | 185 | 125 | 80 | 500 sets | - | 0.06 | APET |
| | LPM-14-BASE | 185 | 125 | 25 | | | | APET |
| | LPM-14S-LID | 174 | 118 | 70 | 1,000 | - | 0.05 | APET |
| | LPM-14S-BASE | 174 | 118 | 25 | 1,000 | - | 0.05 | APET |
|  ★ | LPM-23-LID | 215 | 123 | 65 | 200 sets | - | 0.12 | APET |
| | LPM-23-BASE | 215 | 123 | 12 | | | | APET |

*All product dimensions are written in millimeters (mm).





*★: Best Seller *☰: Microwave Safe



| Product Illustration | Product Code | L | W | H | Packing | | m³ | Material |
|---------------------------------------------------------------------------------------|--------------|-----|----|----|---------|-------------|------|----------|
| | | | | | (total) | (pkt x pcs) | | |
|  ★ | GK-1 | 172 | 78 | 70 | 500 | 10 x 50 | 0.05 | APET |
|  | GK-1L | 172 | 85 | 90 | 500 | 10 x 50 | 0.06 | APET |
|  ★ | GK-2 | 165 | 85 | 85 | 1,000 | 20 x 50 | 0.14 | APET |
|  | GK-3 | 170 | 92 | 80 | 500 | - | 0.08 | PP |
|  | GK-4 | 180 | 82 | 85 | 500 | 10 x 50 | 0.06 | APET |
|  | GK-5 | 160 | 70 | 70 | 1,000 | 20 x 50 | 0.08 | APET |

*All product dimensions are written in millimeters (mm).

*★: Best Seller *☰: Microwave Safe

| Product Illustration | Product Code | L | W | H | Packing | | m³ | Material | |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|-------|-----|---------|-------------|------|----------|----|
| | | | | | (total) | (pkt x pcs) | | | |
|  | PP-01 | Ø 110 | | 60 | 400 | - | 0.06 | PP | |
| | PP-03 | Ø 110 | | 50 | 300 | - | 0.06 | PP | |
| | PP-05 | Ø 132 | | 35 | 1,000 | - | 0.06 | PP | |
| | PP-09 | Ø 88 | | 50 | 500 | - | 0.06 | PP | |
| | PP-10 | Ø 148 | | 70 | 400 | - | 0.06 | PP | |
| | PP-12 | Ø 125 | | 50 | 1,000 | - | 0.06 | PP | |
| | PP-13 | Ø 118 | | 40 | 1,000 | - | 0.06 | PP | |
| | PP-17 | Ø 115 | | 50 | 1,000 | - | 0.06 | PP | |
| | PP-400 | Ø 125 | | 40 | 500 | - | 0.06 | PP | |
| | PP-450 | Ø 125 | | 45 | 500 | - | 0.06 | PP | |
| | PP-1500 | Ø 170 | | 100 | 300 | - | 0.06 | PP | |
| |  | FT-1 | Ø 108 | | 45 | 600 | - | 0.06 | PP |
| | | HK-1 | Ø 90 | | 45 | 1,000 | - | 0.06 | PP |
| | | HK-6 | Ø 118 | | 45 | 1,000 | - | 0.06 | PP |
| | | SSR-2 | Ø 110 | | 80 | 300 | - | 0.06 | PP |
| SSR-7 | | Ø 80 | | 70 | 400 | - | 0.06 | PP | |
|  | GSQ-06 | 190 | 190 | 80 | 200 | 4 x 50 | 0.09 | APET | |
| | GSQ-07 | 220 | 220 | 80 | 200 | 4 x 50 | 0.08 | APET | |
| | GSQ-08 | 255 | 255 | 90 | 200 | 4 x 50 | 0.08 | APET | |
| | GSQ-09 | 280 | 280 | 90 | 100 | 2 x 50 | 0.06 | APET | |
| | GSQ-10 | 305 | 305 | 90 | 100 | 2 x 50 | 0.08 | APET | |
| | GSQ-11 | 340 | 340 | 115 | 100 | 2 x 50 | 0.10 | APET | |
| | GSQ-12 | 365 | 365 | 115 | 100 | 2 x 50 | 0.12 | APET | |
| |  | | | | | | | | |

*All product dimensions are written in millimeters (mm).

*★: Best Seller *☰: Steam Safe



| Product Illustration | Product Code | L | W | H | Packing | | m³ | Material |
|----------------------|--------------|-----|-----|----|------------|-------------|------|----------|
| | | | | | (total) | (pkt x pcs) | | |
| | GB-22-LID | 63 | 63 | 35 | 2,000 sets | 20 x 50 | 0.08 | APET |
| | GB-22-BASE | 63 | 63 | 10 | | | | APET |
| | LPM-125-LID | 97 | 97 | 45 | 500 sets | - | 0.05 | APET |
| | LPM-125-BASE | 97 | 97 | 20 | | | | APET |
| | LPM-471-LID | 102 | 102 | 65 | 100 sets | - | 0.05 | APET |
| | LPM-471-BASE | 107 | 107 | 20 | | | | APET |
| | LPM-502-LID | 80 | 80 | 40 | 1,000 sets | - | 0.11 | APET |
| | LPM-502-BASE | 80 | 80 | 15 | | | | APET |

*All product dimensions are written in millimeters (mm).

*★: Best Seller *☰: Microwave Safe

| Product Illustration | Product Code | L | W | H | Packing | | m³ | Material |
|----------------------|--------------|----|----|----|----------|-------------|------|----------|
| | | | | | (total) | (pkt x pcs) | | |
| | LPM-497 | 63 | 63 | 35 | 500 | - | 0.04 | APET |
| | GB-7-LID | 90 | 90 | 38 | 500 sets | - | 0.05 | APET |
| | GB-7-BASE | 99 | 99 | 20 | | | | APET |
| | GB-8-LID | 67 | 67 | 22 | 500 sets | - | 0.05 | APET |
| | GB-8-BASE | 73 | 73 | 20 | | | | APET |
| | GC-8L | 98 | 98 | 15 | 1,000 | 20 x 50 | 0.09 | APET |
| | GC-8LH | 98 | 98 | 21 | 1,000 | 20 x 50 | 0.09 | APET |
| | GC-888 | 94 | 94 | 40 | 2,000 | - | 0.11 | APET |

*All product dimensions are written in millimeters (mm).

*★: Best Seller *☰: Microwave Safe



| Product Illustration | Product Code | L | W | H | Packing | | m ³ | Material |
|----------------------|--------------|-----|-----|----|----------|-------------|----------------|----------|
| | | | | | (total) | (pkt x pcs) | | |
| | GB-24-LID | 120 | 60 | 28 | 500 | - | 0.06 | APET |
| | GB-24-BASE | 125 | 63 | 20 | 500 | - | 0.05 | APET |
| | MC-2L-LID | 190 | 112 | 52 | 300 sets | 6 x 50 | 0.06 | APET |
| | MC-2L-BASE | 190 | 112 | 24 | | | | APET |
| | ★ GB-23-LID | 220 | 175 | 50 | 300 sets | 6 x 50 | 0.08 | APET |
| | GB-23-BASE | 220 | 175 | 20 | | | | APET |
| | MC-4L-LID | 190 | 190 | 52 | 300 sets | 6 x 50 | 0.08 | APET |
| | MC-4L-BASE | 190 | 190 | 24 | | | | APET |
| | MC-4S-LID | 141 | 141 | 52 | 300 sets | 6 x 50 | 0.07 | APET |
| | MC-4S-BASE | 141 | 141 | 24 | | | | APET |
| | ★ MC-6S-LID | 200 | 141 | 52 | 300 sets | 6 x 50 | 0.07 | APET |
| | MC-6S-BASE | 200 | 141 | 24 | | | | APET |
| | GB-33 | 180 | 180 | 35 | 500 | - | 0.05 | APET |
| | GB-34 | 180 | 180 | 30 | 1,000 | - | 0.06 | APET |
| | GB-66 | 140 | 92 | 15 | 500 | - | 0.06 | APET |
| | LPM-34 | 282 | 234 | 23 | 200 | - | 0.07 | APET |
| | LPM-37 | 203 | 154 | 23 | 1,000 | - | 0.06 | APET |
| | LPM-457 | 283 | 118 | 30 | 500 | - | 0.05 | APET |
| | LPM-500 | 198 | 198 | 30 | 100 | - | 0.06 | APET |
| | ACK-9 | 554 | 396 | 15 | 100 | - | 0.06 | APET |
| | GT-144 | 536 | 534 | 28 | 100 | - | 0.06 | APET |

*All product dimensions are written in millimeters (mm).

*★: Best Seller

*≡: Microwave Safe



GC PACKAGING SDN. BHD. (202101045387)

T: +607- 660 5868 (HQ)
+60-16-285 0965 (WhatsApp)

E: bs@gcpsb.com

W: www.gcpack.my

A: 68, Jalan I-park 1/7, Kawasan Perindustrian I-Park,
81000 Kulai, Johor, Malaysia.